

Umicore's Ready-Stock™ plate products meet the needs of both the high volume factory and the small volume bench jeweller. They are shipped in a half-hard temper allowing you to use them "as-is" or anneal them for a softer temper. Providing optimum ductility and strength, Ready-Stock™ plate provides superior performance in all stamping and forming operations, and adapts well to all jewellery manufacturing procedures and methods.

Our Gold and Silver Ready Stock plate come in 10.16cm (4 inch) widths and our Platinum Plate comes in 5.08cm (2 inch) widths.

GOLD PLATE									
THICKNESS (mm/in.)	SHAPE/ SIZE	B & S GAUGE	10KY	10KW	14KY	14KW	18KY	18KW	18KW-Pd
0.25 / 0.010		30		•			•	•	•
0.32 / 0.013		28		•	•	•	•	•	•
0.35 / 0.014		27		•			•	•	•
0.4 / 0.016		26		•		•	•	•	•
0.5 / 0.020		24						•	•
0.75 / 0.030			•	•				•	•
1 / 0.039		18							•
1.2 / 0.047				•				•	•
1.5 / 0.059									•
1.75 / 0.069			•	•		•	•	•	•
2 / 0.079		12							
2.5 / 0.098				•	•	•	•	•	•
	1	<u> </u>	ı	<u> </u>	<u> </u>	1	1	1	1

Available in 1 - 2 business days (minimums apply)

• Available in 6 - 7 business days (minimums apply)

Other Custom Sizes Available. Please contact our Customer Service Department for all other sizes and delivery time.

GOLD PLATE 19KW					
THICKNESS (mm/in.)	SHAPE / SIZE	B & S GAUGE	19KW		
1 / 0.039		18			
1.5 / 0.059					
2 / 0.079		12			
Available	Available in 1 - 2 business days (minimums apply)				

Other Custom Sizes Available. Please contact our Customer Service Department for all other sizes and delivery time.

SILVER PLATE			
THICKNESS (mm/in.)	B & S GAUGE	Sterling Silver	
0.25 / 0.010	30		
0.3 / 0.012			
0.32 / 0.013	28		
0.35 / 0.014	27		
0.4 / 0.016	26		
0.5 / 0.020	24		
0.6 / 0.024			
0.64 / 0.025			
0.7 / 0.028			
0.75 / 0.030			
0.8 / 0.031	20		
0.9 / 0.035			
1 / 0.039	18		
1.1 / 0.043			
1.2 / 0.047			
1.3 / 0.051			
1.5 / 0.059			
1.75 / 0.069			
2 / 0.079	12		
2.5 / 0.098			
3 / 0.118			

Available in 1 - 2 business days (minimums app	ly)
7.	//

Other Custom Sizes Available. Please contact our Customer Service Department for all other sizes and delivery time.

PLATINUM PLATE 95/5 RU				
THICKNESS (mm/in.)	B & S GAUGE	90W		
2 / 0.079	12			
2.5 / 0.098				
Available in 1 - 2 business days (minimums apply)				

Other Sizes Available. Please contact our Customer Service Department for all other sizes and delivery time.

ANTI-TARNISH SILVER PLATE				
THICKNESS (mm/in.)	B & S GAUGE	Anti-Tarnish Silver		
0.5 / 0.020	24			
0.8 / 0.031	20			
1 / 0.039	18			
1.5 / 0.059				

Available in 1 - 2 business days (minimums apply)

Other Custom Sizes Available. Please contact our Customer Service Department for all other sizes and delivery time.